

TURN COMFORT

IN-DESK UNITS



burland[®]
Incorporating **electropatent**

Burland Technology Solutions
2 Delphus, Orion Court
Great Blakenham, Ipswich
Suffolk, IP6 0LW

sales@burland.com
+44 (0)1473 858 214
www.burland.com





NETBOX Turn Comfort



Built-in Socket NETBOX Turn Comfort

The **NETBOX Turn Comfort** opens at the touch of a button by means of a rotary mechanism. When open, the connections are easily accessible - when closed, the work surface appears tidy and elegant.

The **NETBOX Turn Comfort** is mainly used in offices and conference rooms. Several users can access the connections from opposite sides.

The **NETBOX Turn Comfort** can be integrated into the work surface from a panel thickness of 10 mm and is available in variable lengths.

Colours



Housing



Module unit

Mounting



Latching mechanism

Panel thickness: 10-70 mm

Material



Housing:
Aluminium / Plastic

Module unit: Plastic

Application



Office



Conference



Hotel & Lounge

Approvals | Certificates



Suitable accessories



Starter cable



Cable snake®




Velcro fabric tube



All available
Videos

*Special colours

Dimensions



Further information



3D data (STP) *



Dimensions (PDF) *



NETBOX Turn Comfort



Product request



pCon.update

Overview

	Aluminium	Plastic	Number of modules	Power modules	Data modules	Gender changer	Cover lockable	USB-charger	Cat 7-capable	Power forwarding possible (1) u. (2)
NETBOX Axial Comfort	●		2 - 6	●	●	●	●	●	●	● ⁽²⁾
NETBOX Combi II	●		4	●	●	●	●	●	●	● ⁽¹⁾
NETBOX Entry	Steel		4 o. 6	●	●	●	●	●	●	
NETBOX MEB		●	2 - 4	●	●	●		●	●	●
NETBOX Spot		●	1	●	Spot Data	Spot Data		●		
NETBOX Style	●		2 - 6	●	●	●		●	●	●
NETBOX Turn Comfort	●		2 - 6	●	●		●	●	●	● ⁽²⁾

(1) Power forwarding is only possible if NO gender changer, USB, VGA, network or HDMI cables are fitted.

(2) Power forwarding is only possible if NO gender changer, USB or HDMI cables are fitted.

A. & H. MEYER GmbH
Leuchten und Büroelektrik
Fermke 8
32694 Dörentrup
Germany

tel: +49 5265 9488-0
fax: +49 5265 9488-11
info@ah-meyer.de

* on request

