

# CHAMELEON

## ABOVE-DESK UNITS



**burland**<sup>®</sup>  
Incorporating **electropatent**

Burland Technology Solutions  
2 Delphus, Orion Court  
Great Blakenham, Ipswich  
Suffolk, IP6 0LW

[sales@burland.com](mailto:sales@burland.com)  
+44 (0)1473 858 214  
[www.burland.com](http://www.burland.com)



# eLink™

## Chameleon ADU

The new **eLink™** Chameleon Above Desk Unit (ADU) is a breakthrough in power and networking aesthetics.

It comes supplied as standard with 2 x UK BS1363 power outlets each protected with 5A CBE combined switch and circuit breakers, 2 x high output USB charging ports and two accessory ports in the legs which allow the insertion of a keystone RJ45 Cat6, HDMI or data USB. Power infeed is 800mm black PVC cable to GST18/3 male plug.

*Switch to eLink™ Chameleon and feel the power.*





Cat6 RJ45



Data USB



HDMI



Blank

## Specification

|                          |                                                        |
|--------------------------|--------------------------------------------------------|
| Input Voltage/Frequency: | AC230-250V AC 60Hz                                     |
| Input Connection:        | GST18/3 3pole male plug on 800mm PVC cable             |
| USB Charger Output:      | 5V DC 2.4Amp                                           |
| Max Current:             | 16 Amp                                                 |
| Individual Breakers:     | 5A, 250V AC, IR not less than 2.0 Mega Ohms at 500V DC |
| Operating Temperature:   | -40°C to +85°C                                         |

## Trip Time

| Current Level (% of rated) | Trip Time        |
|----------------------------|------------------|
| 100%                       | No Trip          |
| 150%                       | 60 Minutes       |
| 200%                       | 3-60 Seconds     |
| 300%                       | 0.8-20 Seconds   |
| 400%                       | 0.5-6.0 Seconds  |
| 500%                       | 0.3-2.8 Seconds  |
| 600%                       | 0.25-2.0 Seconds |

## Standards

BS5733, BS1363, BS6396, CE Marked

## Colours



Standard - Black and White



Other custom colours available on request, subject to MOQ and will include surcharge.



#### **Stock Code**

BTS-EL-ADU-GBLK-STD

BTS-EL-ADU-GWHI-STD

#### **Description**

Burland Chameleon eLink ADU Black Body/Gloss Black Wrap

Burland Chameleon eLink ADU Black Body/Gloss White Wrap

#### **Custom colours**

Available on request. Full RAL colour matching service including carbon fibre, chrome and gold.

**+44 (0)1473 858214**

**sales@burland.com | burland.com | elink-power.com**

**Head Office/Showroom** 2 Delphus, Orion Court, Great Blakenham, Ipswich, Suffolk, IP6 0LW

**London Showroom** The Old Trading House, 15 Northburgh Street, London, EC1V 0PR

*Republic of Ireland Partners:* **Modula**

Unit 3A, Avonberg Industrial Estate, Longmile Road, Walkinstown, Dublin, D12 AY96, Ireland

T: +353 (0) 1 455 9472 • E: info@modula.ie • www.modula.ie